


MAGLITE® MAG-TAC® PLAIN RECHARGEABLE

#AlwaysOnDuty

Tactical flashlight with LiFePO4 battery!




BEAM
DISTANCE

LUMENS

PEAK BEAM
INTENSITY

WATER
RESISTANT



DROP
RESISTANT

RUN TIME



Magnitude

14,8 x 2,7 cm

Weight with b.

156 g

Encasement

Both-sided eloxed aerospace
aluminum T6061

Light modes

4 modes: Full, Low, Strobe, Momentary
light

Battery

LiFePO4 battery

Warranty

10 years

Easy usage and best performance index compactly build are the distinguished specs for the MAG-TAC® PLAIN RECHARGEABLE. Safely cased in the delivered charging-station the MAG-TAC® is always ready for use and has four different light modes: FULL, LOW, momentary light, STROBE. Due to the high precession MAGLITE®-optic, the MAG-TAC® reaches an illumination range of 185 meters used in FULL-mode with 671 Lumens, all packed in just 14,8 cm length. The MAG-TAC® has a ON light time of up to 18 hrs. The tactical flashlight has a sturdy (1m drop test) and water-resistant (IPX4) encasement produced of both-sided eloxed T6061 aerospace-aluminum. A user-friendly and one-handed handling of the three Light modes is given due to the electronic QuickClick™ button on the end-cap. Momentary light (signal function) – Maximum luminous power (100%) – Energy saving - Strobe-light. Thanks to these technical specs the MAG-TAC® PLAIN RECHARGEABLE is recommended by the National Tactical Officers Association for police usage.

A U.S.A.



 **MAGLITE®**

MAGLITE® MAG-TAC® PLAIN RECHARGEABLE

Colors	Black
Article-number (Blister)	TRM4RE4
EAN-Code (Blister)	038739 68027 9

Packaging	Gift Box
Article-number (black)	TRM4RE4
EAN-Code (black)	038739 68027 9



Logistic data (Blister)	Volume	Measurements (cm)	Weight (kg)	EAN (black)
Selling unit	1	23,81 x 13,18 x 5,56	0,498	038739 68027 9
Carton	3	24,45 x 17,30 x 13,81	1,72	NA
Wholesale carton	18	60,96 x 25,40 x 38,10	12,03	NA

Please note

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet.

Current performance specs can be found on the product packaging or product labeling.

The MAG-TAC® LED Rechargeable flashlight is covered by US. Patent Nos. 7,986,112; 8,210,710; 8,240,874 and 8,482,209. Other patents pending on the flashlight and charging base. The LED Module is covered by U.S. Patents 7,896,112 and D625,847. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

Maglite Europe GmbH & Co.KG
Rottweil Branch
Saline 14
78628 Rottweil
Germany

Mag Instrument, Inc.
2001 South Hellmann Avenue
Ontario, CA91761
U.S.A.

